

# Datasheet Capitole



*Capitole Classic 50*



*Capitole Prestige 50*

This popular litter bin in Europe convinces by robustness and perfect ergonomics. Its vandalism resistance is typical; a life time of 20 years under heavy city centre conditions is no exception. The Capitole has won several awards for good industrial design.

The ergonomics have been further improved 4 years ago when the Capitole Prestige line was introduced. These improvements were only incorporated in the design after consultation with 500 daily users of the Capitole bin.

The Capitole litter bin is offered as 50, 70 and 100 litre volumes.

Fixation is best guaranteed with the purpose designed stand, a bent, galvanized, steel tube with 4 fixation points for the litter bin, being solidly positioned in the ground with 2 feet.

Wall- and pole fixation are optionally available, as well as duo- and triple fixation.

**Materials:** body out of 2mm galvanized steel, inner liner out of 1mm galvanized steel or aluminium. Powder coated.

**Lock;** slam lock for triangular key

#### Dimensions Capitole family

	Capitole Classic	Capitole Prestige	Capitole Prestige L	Capitole Prestige XL
<b>Capacity in liters</b>	50	50	70	100
<b>Height bin in mm</b>	733	733	1014	1218
<b>Width bin in mm</b>	400	400	400	500
<b>Depth bin in mm</b>	307	307	307	390
<b>Weight bin in kg</b>	14,6	15,85	20,3	55,0
<b>Height inner liner in mm</b>	531,7	531,7	837,6	910,5
<b>Width inner liner in mm</b>	359,5	359,5	356,6	417
<b>Depth inner liner in mm</b>	269	269	270,6	341
<b>Weight inner liner in kg</b>	6,1	6,1	3,1	4,0
<b>Opening insert in mm</b>	305 x 103	305 x 103	305 x 103	305 x 103



*Capitole Prestige L 70*



*Capitole Prestige XL 100*

<b>Product description</b>	<b>Q per pallet</b>	<b>Kg per piece</b>	<b>Kg per pallet</b>
Inner liner Capitole	30	6,1	183
Capitole without stand	20	20,7	414
Capitole without stand (Alu inner liner)	20	16,8	336
Capitole with stand	14	34	472
Capitole with high stand	8	37	294
Capitole with stand and concrete base	6	135	808
Prestige without stand	16	22,0	351
Prestige without stand (Alu inner liner)	16	18,1	289
Prestige with stand	14	35	489
Prestige with high stand	8	38	304
Prestige with stand and concrete base	6	136	816
Prestige L without stand	9	20	183
Prestige L with stand	8	33	266
Prestige L with high stand 1492mm	8	36	290
Prestige L with stand and concrete base	6	134	806
Stand for Capitole 1492mm	60	12	720
Capitole XL with inner liner	3	59	178
Capitole XL with adjustable foot	3	66	199
Capitole XL underground base	3	70	210
Superpole 120 Ltr	4	110	440
Superpole 160 Ltr	4		
Omnipole 35 Ltr	24	10	245
Omnipole 55 Ltr	18	13	232
Minicontainers	6	30	180
Citypole inner liner	12	4,1	49
Citypole without inner liner	6	60,9	365
Citypole with inner liner	6	65	390
Citypole with concrete base	3	128	384
Citypole concrete base	9	63	567
Citypole steel base	6		

Possible colours, standard- and non-standard

## RAL colors



Yellow Bammenscode 082000



Red RAL3000 - Bammenscode 082330



Blue RAL5010 - Bammenscode 082690



Pine green RAL6009 - Bammenscode 082900



Black RAL9005 - Bammenscode 083660



Orange RAL 2004 - Bammenscode 082290



Gray Antracite RAL 7016 - Bammenscode 083260



Steel Blue RAL 5011 - Bammenscode 082700

## Hammered structure



Light Green Bammenscode 083880



Pine Green Bammenscode 083940



Medium Blue Bammenscode 083840



Steel Blue Bammenscode 083860



Medium Gray Bammenscode 083820



Dark Gray Bammenscode 083810



Ruby Red Bammenscode 083930

## Metallic




Gray aluminium RAL 9007 Bammenscode 083680




White aluminium RAL 9006 Bammenscode 083670

### Anti billing profiles



possible on  
*Capitole Prestige (L)*



possible on  
*Capitole Classic, Prestige (L)*

### Fixation, installation methods

From left to right:

Stand galvanised steel 1650 mm

Stand galvanised steel 1492 mm


Stand galvanised steel 1100 mm with concrete base

Pole mounting bracket excluding metal strap, galvanised steel (only available separately)

Wall mounting plate, galvanised steel (only available separately)

Stand galvanised steel 1100 mm with footplate

#### Overzicht plaatsing Overview placement



## Accessories / Options

*From above downwards and left to right:*

Insert opening round Ø10 cm, steel colour black

Ashtray

Insert opening battery, steel, colour yellow

Temporary lockable lid with triangular lock

Fire retardant lid (push inwards), steel colour black

Insert opening paper, steel, colour blue




Animal and odour preventing lid (pull up), steel colour black

Insert divider, steel colour black or as litter bin





**New accessory on Capitole Prestige L:**

Sackholder, manufactured out of 1,5 mm galvanised steel, with rubber clamp for sack, cover for bottom opening, hinging on bronze bearing, can be retrofitted without any adaptation to the litter bin.



SECTION A-A  
1:1



Pos nr	Aantal	Omschrijving	Artikel nr
1	1	Zakhouder Li las Cap Prest L	280361
2	1	Zakhouder Re las Cap Prest L	280362
3	1	Zakhouder bodem Cap Prest L	280365
4	2	Blindklinkmoer M6 0,7-4,2mm (zeskant)	078752
5	4	Zeskantbout M6 x 20	061281
6	2	M6 Moer zelfborgend DIN985	061198
7	6	Popnagel 4,8 x 16	077029
8	2	M6 Veerring	078745
9	2	Zeskantbout M5 x 12	072102
10	2	M5 Moer zelfborgend DIN985	072190
11	1	Rubber ZH CP	073096
12	2	Glijlager brons ø6 (10x6x14x2)	062505

**BAMMENS** Rooyseweg 10 3600 BA Maarssen

versie: 01  
do create: 07/10/2011  
old wijziging: 12/01/2012

schaal: 2:1 get. door: D. Zanetti  
tekeningnummer: 0003748  
type: Productfoto

ontwerp: M. van der Meulen  
maakplaats: M. van der Meulen  
omschrijving: Zakhouder Capitole Prestige L  
materieel: niet van toepassing  
teken: Geen  
artikelcode: 460361

Eigen gew. = 5.6 kg

Improvements Capitole Prestige (L):



*From left to right:*  
Reinforced door + body  
Complete access to inner liner thanks to 120° opening  
Reinforced inner liner



Lock at ergonomic height



*From left to right:*  
Double reinforced locking hooks  
New Capitole Prestige (L) fits in existing stands